

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTIFICATION OF CHANGE OF CORRESPONDENCE ADDRESS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Please direct all future correspondence in the below listed patent applications to:

Honeywell International Inc.
Customer Number 92689

| Docket No. | Application No. | Filing Date | Patent No. | Title |
|------------|-----------------|-------------|------------|--|
| H0001512 | 09/800366 | 3/6/2001 | | IMPROVED BOLOMETER OPERATION USING FAST SCANNING |
| H0001595 | 09/804932 | 3/13/2001 | 6850930 | METHOD FOR TRANSFORMING WORDS TO UNIQUE NUMERICAL REPRESENTATION |
| H0001602 | 09/849916 | 5/4/2001 | 7174482 | PROCESS CONTROL BUS MONITORING AND ANALYSIS |
| H0001858 | 09/893066 | 6/27/2001 | 7075079 | SENSOR FOR DUAL WAVELENGTH BANDS |
| H0002097 | 09/904749 | 7/13/2001 | 6954931 | RESOURCE ALLOCATION |
| H0002238 | 09/941247 | 8/28/2001 | 7001681 | WATER VAPOR TRANSPORT POWER GENERATOR |
| H0002238 | 11/247435 | 10/11/2005 | 7455924 | WATER VAPOR TRANSPORT POWER GENERATOR |
| H0002238 | 12/191233 | 8/13/2008 | | WATER VAPOR TRANSPORT POWER GENERATOR |
| H0002243 | 10/081369 | 2/22/2002 | 7329895 | DUAL WAVELENGTH DETECTOR |
| H0002733 | 10/100440 | 3/18/2002 | 6919730 | CARBON NANOTUBE SENSOR |
| H0002733 | 11/032470 | 1/10/2005 | 7057402 | CARBON NANOTUBE SENSOR |
| H0002733 | 11/144292 | 6/3/2005 | | CARBON NANOTUBE-BASED GLUCOSE SENSOR |
| H0002733 | 11/435341 | 5/16/2006 | | CARBON NANOTUBE SENSOR |
| H0003067 | 10/302694 | 11/21/2002 | 7158957 | SUPERVISED SELF ORGANIZING MAPS WITH FUZZY ERROR CORRECTION |
| H0003636 | 10/302534 | 11/21/2002 | 7552470 | GENERIC SECURITY INFRASTRUCTURE FOR COM BASED SYSTEMS |
| H0004291 | 10/780827 | 2/18/2004 | 7445860 | ELECTRICAL POWER GENERATOR |
| H0004291 | 12/231363 | 9/2/2008 | | ELECTRICAL POWER |

| | | | | |
|----------|-----------|------------|---------|---|
| | | | | GENERATOR |
| H0004571 | 10/303223 | 11/25/2002 | 7421738 | SKEPTICAL SYSTEM |
| H0005070 | 11/027089 | 12/30/2004 | | SYSTEM AND METHOD FOR INITIALIZING SECURE COMMUNICATIONS WITH LIGHTWEIGHT DEVICES |
| H0005509 | 10/800482 | 3/15/2004 | | REDUNDANT WIRELESS NODE NETWORK WITH COORDINATED RECEIVER DIVERSITY |
| H0005848 | 10/750222 | 12/31/2003 | 7447609 | PRINCIPAL COMPONENT ANALYSIS BASED FAULT CLASSIFICATION |
| H0005848 | 10/826614 | 4/16/2004 | 7096153 | PRINCIPAL COMPONENT ANALYSIS BASED FAULT CLASSIFICATION |
| H0005848 | 12/187975 | 8/7/2008 | | PRINCIPAL COMPONENT ANALYSIS BASED FAULT CLASSIFICATION |
| H0006261 | 11/303045 | 12/15/2005 | | ESCROW COMPATIBLE KEY GENERATION |
| H0006407 | 10/882561 | 7/1/2004 | | LATENCY CONTROLLED REDUNDANT ROUTING |
| H0007070 | 11/129074 | 5/13/2005 | 7629115 | CELL-BASED PLATFORM FOR HIGH THROUGHPUT SCREENING |
| H0007171 | 10/972033 | 10/22/2004 | | A REAL-TIME PCR MICROARRAY BASED ON EVANESCENT WAVE BIOSENSORS |
| H0007424 | 10/891380 | 7/14/2004 | | IMPROVED ELECTRICAL POWER GENERATOR |
| H0007506 | 11/027287 | 12/30/2004 | 7546772 | PIEZORESISTIVE PRESSURE SENSOR |
| H0007515 | 11/204816 | 8/15/2005 | | DECENTRALIZED COORDINATION OF RESOURCE USAGE IN MULTI- AGENT SYSTEMS |
| H0007926 | 11/221020 | 9/7/2005 | | LOW PRESSURE-DROP RESPIRATOR FILTER |
| H0008043 | 11/027289 | 12/30/2004 | 7216048 | CALIBRATED PRESSURE SENSOR |
| H0008896 | 11/270848 | 11/9/2005 | | WATER RECLAMATION IN A MICROPOWER GENERATOR |
| H0009219 | 11/637642 | 12/12/2006 | | SYSTEM AND METHOD THAT DISSIPATE HEAT FROM AN ELECTRONIC DEVICE |
| H0009726 | 11/706507 | 2/15/2007 | | ACTIVE BIOCHIP FOR NUCLEIC ACID ANALYSIS |
| H0009728 | 11/064304 | 2/23/2005 | 7436810 | DETERMINATION OF WIRELESS LINK QUALITY FOR ROUTING AS A FUNCTION OF PREDICTED DELIVERY RATIO |
| H0009946 | 11/262901 | 10/31/2005 | 7401497 | MICRODISCHARGE DETECTOR METHOD AND APPARATUS |
| H0010464 | 11/343657 | 1/31/2006 | | FUEL CELL POWER GENERATOR WITH MICRO TURBINE |

| | | | | |
|----------|-----------|------------|---------|---|
| H0010566 | 11/353571 | 2/14/2006 | | POWER GENERATOR HAVING MULTIPLE LAYERS OF FUEL CELLS |
| H0010599 | 11/295036 | 12/6/2005 | | FUEL ENCAPSULATION |
| H0010672 | 11/375910 | 3/15/2006 | | BIOSENSOR MEMBRANE AND METHODS RELATED THERETO |
| H0011120 | 11/351175 | 2/9/2006 | | POWER GENERATOR SHUT OFF VALVE |
| H0011214 | 11/328735 | 1/10/2006 | 7476852 | IONIZATION-BASED DETECTION |
| H0011527 | 11/257872 | 10/25/2005 | | FUEL CELL STACK HAVING CATALYST COATED PROTON EXCHANGE MEMBER |
| H0011539 | 11/257738 | 10/25/2005 | | PROTON EXCHANGE MEMBRANE FUEL CELL |
| H0011603 | 11/446806 | 6/2/2006 | 7501626 | MICROMECHANICAL THERMAL SENSOR |
| H0011832 | 11/706448 | 2/15/2007 | | REAL-TIME MICROARRAY APPARATUS AND METHODS RELATED THERETO |
| H0011865 | 12/520987 | 12/29/2006 | | REACTION BUFFER FOR MICROARRAY |
| H0011884 | 11/615617 | 12/22/2006 | 7612885 | SPECTROSCOPY METHOD AND APPARATUS FOR DETECTING LOW CONCENTRATION GASES |
| H0011974 | 11/372507 | 3/10/2006 | | PROCESS MONITORING USING MULTIVARIATE DATA |
| H0012088 | 11/827529 | 7/12/2007 | | TIME SERIES DATA COMPLEX QUERY VISUALIZATION |
| H0012762 | 11/726491 | 3/22/2007 | | SILICIDE FUELED POWER GENERATORS AND METHODS RELATED THERETO |
| H0013148 | 11/592059 | 11/2/2006 | | PROTOCOL INDEPENDENT BRIDGE |
| H0013183 | 11/606758 | 11/30/2006 | | SLIDE VALVE FOR FUEL CELL POWER GENERATOR |
| H0013208 | 11/618398 | 12/29/2006 | | GAS GENERATION FOR GAS SENSOR CALIBRATION |
| H0013218 | 11/592692 | 11/3/2006 | | FUEL CELL POWER GENERATOR WITH WATER RESERVOIR |
| H0013836 | 11/675043 | 2/14/2007 | | CONFORMAL FILM MICRO-CHANNELS FOR A FLUIDIC MICRO ANALYZER |
| H0014052 | 12/522188 | 1/17/2007 | | MICROARRAY READER FOR REAL TIME PCR MICROARRAY BASED ON EVANESCENT WAVE |
| H0014114 | 11/947603 | 11/29/2007 | | INTEGRATED MEMS 3D MULTI-SENSOR |
| H0014350 | 11/726490 | 3/22/2007 | | POWER GENERATOR WITH HIGH PRESSURE HYDROGEN GENERATOR |
| H0014430 | 11/786178 | 4/11/2007 | 7456412 | INSULATOR FOR TUBE HAVING CONDUCTIVE CASE |
| H0014558 | 11/803968 | 5/16/2007 | | SELF-CALIBRATING SENSOR |

| | | | | |
|----------|-----------|------------|---------|--|
| H0014646 | 11/717525 | 3/13/2007 | 7647137 | UTILITY DEMAND FORECASTING USING UTILITY DEMAND MATRIX |
| H0014756 | 11/796012 | 4/26/2007 | | POWER SOURCE WITH CAPACITOR |
| H0014756 | 11/761290 | 6/11/2007 | | POWER SOURCE WITH CAPACITOR |
| H0014788 | 11/787100 | 4/13/2007 | | STEAM-GENERATOR TEMPERATURE CONTROL AND OPTIMIZATION |
| H0014856 | 11/726149 | 3/21/2007 | | INFERENTIAL PULVERIZED FUEL FLOW SENSING AND MANIPULATION WITHIN A COAL MILL |
| H0014933 | 11/683233 | 3/7/2007 | 7415357 | AUTOMATED OIL WELL TEST CLASSIFICATION |
| H0014997 | 11/789520 | 4/25/2007 | | POWER GENERATOR WITH ADDITIONAL HYDROGEN STORAGE |
| H0015598 | 11/930517 | 10/31/2007 | 7630835 | TERAHERTZ SENSOR TO MEASURE HUMIDITY AND WATER VAPOR |
| H0016116 | 12/109281 | 4/24/2008 | 7613561 | MEASUREMENT OF NO AND NO2 FOR CONTROL OF SELECTIVE CATALYTIC REDUCTION |
| H0016251 | 12/265583 | 11/5/2008 | | SYSTEM AND METHOD FOR SENSING HIGH TEMPERATURE PARTICULATE MATTER |
| H0016535 | 11/935312 | 11/5/2007 | | PARTICULATE MATTER SENSOR ELECTRODES WITH EMBEDDED SELF-CALIBRATOR, AND METHODS USING SAME |
| H0017195 | 12/020950 | 1/28/2008 | | ELECTRODE STRUCTURE FOR PARTICULATE MATTER SENSOR |
| H0017654 | 12/037815 | 2/26/2008 | | CAVITY RING-DOWN SPECTROSCOPY MIRROR, AND METHODS OF USING SAME |
| H0017897 | 12/119872 | 5/13/2008 | | MOS LOW POWER SENSOR WITH SACRIFICIAL MEMBRANE |
| H0018893 | 12/119184 | 5/12/2008 | | MICROELECTROMECHANICAL LAMELLAR GRATING |
| H0019232 | 12/177053 | 7/21/2008 | | DISTRIBUTED GAS DETECTION |
| H0019402 | 12/407679 | 3/19/2009 | | ADSORPTIVE GAS SAMPLER USING IONIC NANO-DROPLETS |
| H0019535 | 12/195531 | 8/21/2008 | | PHOTOACOUSTIC SENSOR |
| H0019541 | 12/194457 | 8/19/2008 | | FUEL CELL BASED POWER GENERATOR |
| H0019561 | 12/194401 | 8/19/2008 | | PARTICULATE MATTER SENSOR CALIBRATION |
| H0019778 | 12/194430 | 8/19/2008 | | FUEL SOURCE FOR ELECTROCHEMICAL CELL |
| H0019859 | 12/204574 | 9/4/2008 | | METHODS AND SYSTEMS OF A USER INTERFACE |

| | | | | |
|----------|-----------|------------|---------|---|
| H0021666 | 12/484608 | 6/15/2009 | | NANO-STRUCTURED SOLAR CELL In |
| H0021875 | 12/628889 | 12/1/2009 | | INTEGRATION OF MEMS AND CMOS DEVICES ON A CHIP In |
| H17016 | 08/941963 | 10/1/1997 | 7027416 | MULTI TIER WIRELESS COMMUNICATION SYSTEM |
| H25326 | 09/453008 | 12/2/1999 | 6763363 | COMPUTER EFFICIENT LINEAR FEEDBACK SHIFT REGISTER |
| H25552 | 09/675750 | 9/29/2000 | 6627907 | INFRARED SCENE PROJECTOR WITH CURRENT MIRROR CONTROL ELECTRONICS |
| H26032 | 09/747032 | 12/22/2000 | 6657197 | SMALL PROFILE SPECTROMETER |
| H26336 | 09/548537 | 4/13/2000 | 6772044 | SENSOR PLACEMENT AND CONTROL DESIGN FOR DISTRIBUTED PARAMETER SYSTEMS |
| H26336 | 10/857339 | 5/28/2004 | 7006889 | SENSOR PLACEMENT AND CONTROL DESIGN FOR DISTRIBUTED PARAMETER SYSTEMS |
| H26581 | 09/737113 | 12/14/2000 | 6928474 | USING A PROBABILITY ASSOCIATIVE MATRIX ALGORITHM TO MODIFY WEB PAGES |
| H26630 | 09/549220 | 4/13/2000 | 6856856 | RESIN TRANSFER MOLDING |
| H27171 | 11/228922 | 9/16/2005 | 7310572 | PREDICTIVE CONTRACT SYSTEM AND METHOD |
| H15562 | 08/671997 | 6/28/1996 | 5822740 | ADAPTIVE FUZZY LOGIC CONTROLLER THAT MODIFIES MEMBERSHIP FUNCTIONS |
| H0017073 | 12/040838 | 2/29/2008 | | METHOD AND APPARATUS FOR CONTROLLED RAMAN SPECTROMETER |
| H0017099 | 12/040843 | 2/29/2008 | | SYSTEM AND METHOD FOR PORTABLE RAMAN SPECTROSCOPY |
| H0017531 | 12/133072 | 6/4/2008 | 7644609 | EXHAUST SENSOR APPARATUS AND METHOD |
| H0017683 | 11/935955 | 11/6/2007 | | ADSORPTIVE GAS SAMPLER USING IONIC NANO-DROPLETS |
| H0017716 | 12/105241 | 4/17/2008 | | PHOTOACOUSTIC CELL |
| H0019596 | 12/325913 | 1/17/2007 | | MULTI-CHANNEL MICROARRAY APPARATUS AND METHODS In |
| H0020088 | 12/257026 | 10/23/2008 | | SINGLE NUCLEOTIDE POLYMORPHISM GENOTYPING DETECTION VIA THE REAL-TIME INVADER ASSAY MICROARRAY PLATFORM |
| H0020090 | 12/256979 | 10/23/2008 | | METHOD FOR SINGLE NUCLEOTIDE POLYMORPHISM AND MUTATION DETECTION USING REAL TIME POLYMERASE CHAIN REACTION MICROARRAY |

| | | | | |
|----------|-----------|------------|--|--|
| H0020196 | 12/256953 | 10/23/2008 | | HIGHLY SENSITIVE MULTIPLEX SINGLE NUCLEOTIDE POLYMORPHISM AND MUTATION DETECTION USING REAL TIME LIGASE CHAIN REACTION MICROARRAY ¹ |
| H0023970 | 61/185921 | 6/10/2009 | | GAS SUPERSATURATION MONITORING FOR DIVERS |
| H0024162 | 61/238545 | 8/31/2009 | | TWO-DIMENSION THz UNCOOLED DETECTOR ARRAY WITH READOUT ELECTRONICS |
| H0016529 | 11/871573 | 10/12/2007 | | SOLID OXIDE FUEL CELL |
| H0016543 | 11/934011 | 11/1/2007 | | HYDROGEN PRODUCING FUEL FOR POWER GENERATOR ¹ |
| H0016552 | 11/933997 | 11/1/2007 | | METHOD OF FORMING A FUEL CELL STACK |
| H0016555 | 11/934021 | 11/1/2007 | | FUEL CELL STACK FOR HYDROGEN FUEL POWER GENERATOR |
| H0017545 | 12/062315 | 4/3/2008 | | FUEL CELL WITH OXYGEN TRANSPORT MEMBRANE |
| H0017900 | 12/040819 | 2/29/2008 | | ALIGNED SURFACE-ENHANCED RAMAN SCATTERING PARTICLES, COATINGS MADE THEREBY, AND METHODS OF USING SAME ¹ |
| H0019582 | 12/400599 | 3/9/2009 | | HYDROGEN GENERATOR |
| H0020226 | 12/194473 | 8/19/2008 | | METHOD OF MANUFACTURING FUEL CELL BASED POWER GENERATOR |
| H0020238 | 12/194487 | 8/19/2008 | | VALVE FOR FUEL CELL BASED POWER GENERATOR |
| H0021287 | 12/634264 | 12/9/2009 | | FUEL SOURCE FOR ELECTROCHEMICAL CELL |
| H0021289 | 12/335352 | 12/15/2008 | | RECHARGEABLE FUEL CELL |
| H0021773 | 12/420663 | 4/8/2009 | | RADIATION POWER DETECTOR ¹ |
| H0022448 | 12/511844 | 7/29/2009 | | HYDROGEN GENERATION FROM CHEMICAL HYDRIDES ¹ |
| H0022734 | 61/159254 | 3/11/2009 | | LIGHTWEIGHT RECHARGER FOR HYDROGEN FUEL CELLS |
| H0023250 | 61/223316 | 7/6/2009 | | POWER GENERATOR UTILIZING FUEL CELL |
| H0023371 | 61/223324 | 7/6/2009 | | FUEL CELL VALVE CONFIGURATION |
| H0025955 | 61/285479 | 12/10/2009 | | HYBRID FUEL CELL |
| H0017995 | 12/111100 | 4/28/2008 | | DISPLAY EXTENSION OF PORTABLE DEVICES |
| H0017402 | 12/025517 | 2/4/2008 | | METHOD FOR MEMS THRESHOLD SENSOR PACKAGING |
| H0017763 | 12/111853 | 4/29/2008 | | USER INTERFACE NAVIGATION DESIGN SYSTEM |
| H0023881 | 61/218784 | 6/19/2009 | | RIFLE SCOPE WITH ZOOM AND FOCUS ¹ |

| | | | | |
|----------|-----------|------------|---------|---|
| H0024300 | 12/641098 | 12/17/2009 | | SYSTEM AND METHOD TO IDENTIFY PRODUCT USABILITY \n |
| H0024382 | 61/228448 | 7/24/2009 | | ENERGY RESOURCE ALLOCATION INCLUDING WIND ENERGY \n |
| H0024388 | 61/228443 | 7/24/2009 | | INTEGRATED CONDITION BASED MAINTENANCE SYSTEM FOR WIND TURBINES \n |
| H0024400 | 61/228320 | 7/24/2009 | | WIND TURBINE GENERATOR FAULT DIAGNOSTIC AND PROGNOSTIC DEVICE AND METHOD |
| H0001603 | 10/305809 | 11/26/2002 | 7197503 | INTELLIGENT RETRIEVAL AND CLASSIFICATION OF INFORMATION FROM A PRODUCT \nMANUAL |
| H0001773 | 09/912114 | 7/24/2001 | 6845357 | PATTERN RECOGNITION USING AN OBSERVABLE OPERATOR MODEL |
| H0001777 | 09/843192 | 4/26/2001 | 6904421 | METHODS FOR SOLVING THE TRAVELING SALESMAN PROBLEM |
| H0002099 | 09/893091 | 6/27/2001 | | SYSTEM AND METHOD FOR BUSINESS GOAL-OPTIMIZATION WHEN CUSTOMER DEMAND CANNOT \nBE SATISFIED |
| H0002100 | 09/860165 | 5/17/2001 | 6904420 | NEURO/FUZZY HYBRID APPROACH TO CLUSTERING DATA |
| H0002101 | 09/899424 | 7/3/2001 | 7127435 | DISTRIBUTION THEORY BASED ENRICHMENT OF SPARSE DATA FOR MACHINE LEARNING |
| H0002475 | 10/024462 | 12/17/2001 | 7096125 | ARCHITECTURES OF SENSOR NETWORKS FOR BIOLOGICAL AND CHEMICAL AGENT DETECTION AND \nIDENTIFICATION |
| H0002808 | 10/055876 | 1/23/2002 | 7242806 | METHODS, FUNCTIONAL DATA, AND SYSTEMS FOR IMAGE FEATURE TRANSLATION |
| H0002808 | 11/807742 | 5/30/2007 | 7551783 | METHODS, FUNCTIONAL DATA, AND SYSTEMS FOR IMAGE FEATURE TRANSLATION |
| H0004936 | 10/446521 | 5/27/2003 | 7421097 | FACE IDENTIFICATION VERIFICATION USING 3 DIMENSIONAL MODELING |
| H0005041 | 10/684865 | 10/14/2003 | | MULTI-STAGE MOVING OBJECT SEGMENTATION |
| H0005960 | 10/736113 | 12/15/2003 | 7446803 | SYNCHRONOUS VIDEO AND DATA ANNOTATIONS |
| H0007561 | 11/223885 | 9/9/2005 | 7613328 | LABEL DETECTION |
| H0007745 | 11/323826 | 12/30/2005 | 7646922 | OBJECT CLASSIFICATION IN VIDEO IMAGES |
| H0008508 | 11/043366 | 1/26/2005 | | IRIS RECOGNITION SYSTEM AND METHOD |

| | | | | |
|----------|-----------|------------|---------|--|
| H0008543 | 11/189446 | 7/26/2005 | | ANOMALY-BASED INTRUSION DETECTION |
| H0008933 | 11/375897 | 3/15/2006 | | VIDEO DATA TRACKER |
| H0009802 | 11/289886 | 11/30/2005 | 7567704 | METHOD AND APPARATUS FOR IDENTIFYING PHYSICAL FEATURES IN VIDEO |
| H0010274 | 11/287627 | 11/28/2005 | 7558404 | DETECTION OF ABNORMAL CROWD BEHAVIOR |
| H0010359 | 11/343658 | 1/31/2006 | | AUTOMATED ACTIVITY DETECTION SYSTEM USING SUPERVISED LEARNING |
| H0011187 | 11/271367 | 11/10/2005 | 7471851 | METHOD AND APPARATUS FOR PROPAGATING HIGH RESOLUTION DETAIL BETWEEN MULTIMODAL DATA SETS |
| H0011403 | 11/323313 | 12/30/2005 | | SYSTEM AND METHOD FOR NETWORK SECURITY |
| H0011413 | 11/377740 | 3/16/2006 | 7461289 | SYSTEM AND METHOD FOR COMPUTER SERVICE SECURITY |
| H0012661 | 11/498923 | 8/3/2006 | | ANOMALY DETECTION IN A VIDEO SYSTEM |
| H0013787 | 11/780238 | 7/19/2007 | | MULTI-POSE FAC TRACKING USING MULTIPLE APPEARANCE MODELS |
| H0014067 | 11/625649 | 1/22/2007 | | BEHAVIOR AND PATTERN ANALYSIS USING MULTIPLE CATEGORY LEARNING |
| H0014543 | 11/680347 | 2/28/2007 | | VIDEO DATA MATCHING USING CLUSTERING ON COVARIANCE APPEARANCE |
| H0014614 | 11/796749 | 4/30/2007 | | METHOD AND APPARATUS FOR LOCATION ESTIMATION |
| H0015940 | 11/823166 | 6/27/2007 | | EVENT DETECTION SYSTEM USING ELECTRONIC TRACKING DEVICES AND VIDEO DEVICES |
| H0016008 | 11/949519 | 12/3/2007 | | SYSTEM FOR FINDING ARCHIVED OBJECTS IN VIDEO DATA |
| H0016613 | 11/952319 | 12/7/2007 | | METHOD AND SYSTEM FOR EYE SAFETY IN OPTICAL SENSOR SYSTEMS |
| H0017165 | 12/039627 | 2/28/2008 | | COVARIANCE BASED FACE ASSOCIATION |
| H0018614 | 12/108467 | 4/23/2008 | | METHODS AND SYSTEMS OF GENERATING 3D USER INTERFACE FOR PHYSICAL ENVIRONMENT |
| H0018909 | 12/099591 | 4/8/2008 | | METHOD AND SYSTEM FOR CAMERA SENSOR FINGERPRINTING |
| H0019565 | 12/180396 | 7/25/2008 | | OPTICAL FINGERPRINT ACQUISITION |
| H0020072 | 12/482350 | 6/10/2009 | | MULTIPLE VIEW FACE TRACKING |

| | | | | |
|----------|-----------|------------|---------|---|
| H0020271 | 12/257969 | 10/24/2008 | | ALERT SYSTEM BASED ON CAMERA IDENTIFICATION |
| H0022208 | 12/487365 | 6/18/2009 | | SYSTEM AND METHOD FOR ADDRESSING VIDEO SURVEILLANCE FIELDS OF VIEW LIMITATIONS |
| H0022210 | 12/487329 | 6/18/2009 | | SYSTEM AND METHOD FOR IMAGE STABILIZATION |
| H0022219 | 12/487405 | 6/18/2009 | | SYSTEM AND METHOD FOR DISPLAYING VIDEO SURVEILLANCE FIELDS OF VIEW LIMITATIONS |
| H0022557 | 61/157050 | 3/3/2009 | | MULTI-MODAL BIOMETRICS SYSTEM \n |
| H25013 | 10/025448 | 12/18/2001 | 6934422 | METHODS, DATA, AND SYSTEMS TO WARP AN IMAGE |
| H26353 | 09/712505 | 11/14/2000 | 7277543 | CRYPTOGRAPHIC COMBINER USING TWO SEQUENTIAL NON-ASSOCIATIVE OPERATIONS |
| H0016647 | 11/948785 | 11/30/2007 | | BATCH PROCESS MONITORING USING LOCAL MULTIVARIATE TRAJECTORIES |
| H0023972 | 12/590652 | 11/12/2009 | | SYSTEM IDENTIFICATION IN AUTOMATED PROCESS CONTROL \n |
| H0024147 | 12/626450 | 11/25/2009 | | FAST ALGORITHM FOR MODEL PREDICTIVE CONTROL |
| H0024773 | 61/240814 | 9/9/2009 | | PRE-FLIGHT CHECKS USING VIDEO ANALYTICS \n |
| H0015256 | 11/891999 | 8/14/2007 | | FLARE MONITORING |
| H0017800 | 12/482374 | 6/10/2009 | | INTELLIGENT SYSTEM AND METHOD TO MONITOR OBJECT MOVEMENT\n |
| H0011627 | 11/365184 | 3/1/2006 | 7392115 | CHARACTERIZATION OF UTILITY DEMAND USING UTILITY DEMAND FOOTPRINT |
| H0014291 | 11/888265 | 7/31/2007 | | PROGRAMMABLE CONTROL ENGINE ON WIRELESS DEVICE |
| H0014553 | 11/858697 | 9/20/2007 | | WIRELESS DEVICE FOR A BUILDING CONTROL SYSTEM |
| H27525 | 10/485848 | 2/2/2004 | | REAL-TIME DATA INTERFACE AND METHOD FOR BROWSERS AND THE LIKE |
| H27525 | 10/368084 | 2/18/2003 | 7225426 | COMPONENT MODEL FOR REAL-TIME SYSTEM CONTROL |
| H27526 | 09/313415 | 5/14/1999 | 6832120 | SYSTEM & METHOD FOR OBJECT-ORIENTED CONTROL OF DIVERSE ELECTROMECHANICAL SYSTEMS USING A COMPUTER |
| H27526 | 11/639358 | 12/14/2006 | | SYSTEM & METHOD FOR OBJECT-ORIENTED CONTROL OF DIVERSE ELECTROMECHANICAL SYSTEMS USING A COMPUTER NETWORK |

Respectfully submitted,

Honeywell International Inc.
Customer Number 92689

Date 2/22/10

By



Kris T. Fredrick
Reg. No. 42,554

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being filed using the USPTO's electronic filing system EFS-Web, and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 26 day of February, 2010.

Kevin Austad
Name

1 Kevin Austad 1
Signature